

MASTERPLAST
GROUP-INTERNATIONAL
www.masterplastgroup.com

GENERAL CATALOGUE



**SUCCESSFUL BUSINESS SERVICE
PARTNER PROVIDING INSULATION
SOLUTIONS**



PERSONAL BUSINESS RELATIONS



**SALES SUPPORT FOR
OUR MAIN PARTNERS**



LOGISTICS SERVICES










**CONTINUOUS QUALITY CONTROL
AND PRODUCT DEVELOPMENT**
















PRODUCTION WITH PRIVATE LABEL

TABLE OF CONTENT


	THERMOMASTER EIFS THERMAL INSULATION SYSTEM	page 6
	ROOF MEMBRANES AND ROOF ACCESSORIES	page 10
	ASPHALT ROOF COVERING PRODUCTS	page 13
	HEAT AND SOUND INSULATION MATERIALS	page 15
	WATER INSULATION MATERIALS	page 18
	DRY CONSTRUCTION ELEMENTS	page 22
	OTHER ACCESSORIES	page 26

EXPLANATION OF THE CATALOGUE SIGNS

 Store protected against rain	 Read the technical	 Temperature resistance
 CE mark	 Read the instruction	 Resistance to water penetration or water-tightness (Class W1)
 Store protected against atmospheric exposure, especially sun-radiation and other heat sources	 Fragile	 Resistance to water penetration or water-tightness (Class W2)
 Available in different colours	 Store vertically	
 Logo and private label option	 UV resistance	

COMPANY INTRODUCTION

Masterplast was established in 1997 in Hungary for the production and wholesales of construction materials and by today the company group has its own subsidiaries in 12 countries and exports to other 30 countries in Europe and world-wide.



Subsidiaries



Strategical partners



Export countries

PRODUCTS

The main product groups produced and traded by Masterplast are: thermal insulation system elements, roof accessories and roof covering articles, heat-, sound and water insulation materials, dry construction items and other construction products. The Hungarian Stock Exchange listed company Masterplast has an annual turnover of 80-85 million euro and over 650 employees.



PRODUCTION SITES IN PICTURES

Masterplast pays special attention on the product development, offers customized solutions and aims at becoming an internationally acknowledged business service provider of insulation solutions throughout its partners.


Sárszentmihály – Hungary



Kál – Hungary



Subotica – Serbia



Sfantu Gheorghe – Romania



THERMOMASTER THERMAL INSULATION SYSTEMS

SYSTEM SETUP AND GENERAL RULES OF INSTALLATION



- 1 ISOMASTER EPS H80 G Silver insulation board
- 2 THERMOMASTER FIX PREMIUM adhesive and base coat
- 3 MASTERNET PREMIUM 160 fiberglass mesh
- 4 THERMOMASTER primer (key coat)
- 5 THERMOMASTER acrylic or silicone render (finishing coat)

Socle insulation system

- 6 XPS insulation board
- 2 THERMOMASTER FIX THERMOMASTER FIX adhesive and base coat
- 7 MASTERNET PREMIUM 160 fiberglass mesh
- 17 MASTERBIT 1K thick bitumen coating
- 8 THERMOMASTER MOSAIC marble plaster

THERMOMASTER insulation system accessories

- 9 THERMOMASTER dowels
- 10 THERMOMASTER corner bead with mesh
- 11 THERMOMASTER PUR adhesive foam
- 12 THERMOMASTER W-PROF window connection profile
- 13 Hammer fix dowel
- 14 EJOT spiral anchor
- 15 EJOT profile connector
- 16 EJOT plastic spacer for socle profile
- 17 MASTERBIT 1K thick bitumen coating

MASTERNET FIBERGLASS MESH



MASTERNET PREMIUM 145 5×5 FIBERGLASS MESH (1×50 m)
MASTERNET PREMIUM 160 4×4 or 5×5 FIBERGLASS MESH (1×50 m)





MASTERNET A-75 5×5 FIBERGLASS MESH (1×50 m)
MASTERNET A-125 5×5 FIBERGLASS MESH (1×50 m) AND TAPES
MASTERNET A-145 5×5 FIBERGLASS MESH (1×50 m)
MASTERNET A-160 5×5 FIBERGLASS MESH (1×50 m)
MASTERNET A-200 5×5 FIBERGLASS MESH (1×50 m)
MASTERNET A-90 10×10 MESH (1×50 m)
MASTERNET A-110 10×10 MESH (1×50 m)
MASTERNET PREMIUM 110 10×10 MESH (1×50 m)



THERMOMASTER CORNER BEADS AND PROFILES



THERMOMASTER PVC PROFILE (2.5 m)
THERMOMASTER ALU PROFILES 24×24, OR 12×24 (2.5 m)
THERMOMASTER PVC PROFILE WITH 7+7 MESH (125 m)
THERMOMASTER PVC PROFILE WITH 8+12 MESH (125 m)
THERMOMASTER PVC PROFILE WITH 10+10 MESH (125 m)
THERMOMASTER PVC PROFILE WITH 10+15 MESH (125 m)
THERMOMASTER ALU PROFILE WITH 7+7 MESH (125 m)
THERMOMASTER ALU PROFILE WITH 8+12 MESH (125 m)
THERMOMASTER ALU PROFILE WITH 10+10 MESH (125 m)
THERMOMASTER ALU PROFILE WITH 10+15 MESH (125 m)
THERMOMASTER PVC-B BALCONY PROFILE 2.5 m (50 m)
THERMOMASTER WINDOW CONNECTION PROFILE 6 mm 2.4 m (144 m)
THERMOMASTER WINDOW CONNECTION PROFILE 6 mm WITH MESH 2.4 m (48 m)
THERMOMASTER WINDOW CONNECTION PROFILE 9 mm 2.5 m (50 m)
THERMOMASTER WINDOW CONNECTION PROFILE 9 mm WITH MESH 2.5 m (50 m)
THERMOMASTER WALL DILLATATION PROFILE 2.5 m
THERMOMASTER PVC-FLEX ARCH FORM PROFILE 2.5 m (50 m)
THERMOMASTER UL SOCLE PROFILES 2.5 m (62.5 m)
THERMOMASTER UZ SOCLE PROFILES 2 m (50 m)
THERMOMASTER US SOCLE PROFILES 2 m (20 m)



SOCLE PROFILE ACCESSORIES

EJOT®

EJOT PLASTIC SPACERS 3 mm, 5 mm, 10 mm (100 pcs)
EJOT SOCLE PROFILE CONNECTOR 30 mm (100 pcs)

HAMMER FIX DOWELS FOR SOCLE PROFILE FIXING

6×40 mm (200 pcs), 6×60 mm (200 pcs), 6×80 mm (100 pcs)



ISOMASTER EPS INSULATION PANELS

ISOMASTER

ISOMASTER EPS

70, 80, 100, 150, 200 kPa boards (10-1250 mm THICKNESSES, 0,5×1 m BOARD SIZE)

ISOMASTER GRAPHITE

80, 100 kPa boards (10-1250 mm THICKNESSES, 0,5×1 m BOARD SIZE)

* OTHER SIZES ON DEMAND



NOBASIL ROCKWOOL INSULATION PANEL

NOBASIL FKD-S ROCKWOOL INSULATION

60-120 mm (600×1000 mm BOARD SIZE)



INSULATION MADE OF XPS

ISOMASTER

ISOMASTER XPS INSULATION

SVR (ROUGH SURFACE) 20-120 mm,
SVW (WAFFEL SURFACE) 20-120 mm (600×1000 m BOARD SIZE)

fibran^{xps}


FIBRAN XPS INSULATION

GF-I 20-160 mm (600×1000 m BOARD SIZE)

Styrodur®

STYRODUR XPS 2800C INSULATION

20-120 mm (600×1000 m BOARD SIZE)



INSULATION DOWELS

THERMOMASTER

THERMOMASTER D DOWELS 70-90-110-120-140-160 mm (250 pcs)

THERMOMASTER D-PLUS DOWELS

70-90-120-140-160-180-200-220-240-260 mm (200 pcs)

THERMOMASTER D-H DOWELS 90-110-130-150-170-190 mm (200 pcs),

215-235-255-275-295 mm (100 pcs)

THERMOMASTER D-WM DOWEL FLANGE (100 pcs)


EJOT®

EJOT IDK-T 75-95-115-135,155-175 mm (200 pcs)

EJOT TID-T DOWELS 75-95-115-135,155 mm (200 pcs), 175-195,215-235-255-275-295 mm (100 pcs)

EJOT STR-U 2G DOWELS 115-135-155-175-195,215-235-255-275-295-315-335-355-375-395 mm (100 pcs)

EJOT STR ACCESSORIES: INSTALLATION TOOL, EPS CAP (100 pcs), MW (MINERAL WOOL) CAP (100 pcs), EPS PLUG (100 pcs), DRIVING BIT TX30, SDS-PLUS ADAPTER, EJOT SPIRAL ANCHOR (100 pcs)



THERMOMASTER PRIMER



THERMOMASTER PRIMER (1 L OR 5 L)



THERMOMASTER ADHESIVE AND BASE COATS



THERMOMASTER FIX ADHESIVE AND BASE COAT (25 kg/bag)
 THERMOMASTER FIX PREMIUM GREY ADHESIVE AND BASE COAT (25 kg/bag)
 THERMOMASTER FIX PREMIUM WHITE ADHESIVE AND BASE COAT (25 kg/bag)
 THERMOMASTER ROCK ADHESIVE AND BASE COAT (25 kg/bag)
 THERMOMASTER PUR ADHESIVE FOAM 750 ml (12 pcs/box)
 THERMOMASTER PUR ACCESSORIES: PUR FILLING GUN, CLEANING LIQUID (500 ml)



THERMOMASTER UNIVERSAL PRIMERS (KEY COATS)



THERMOMASTER UNIVERSAL PRIMER ACRYLIC COLOURED (5l or 16 l/bucket)
 THERMOMASTER UNIVERSAL PRIMER SILICONE COLOURED (10 kg/bucket)



THERMOMASTER ACRYLIC / SILICONE RENDERS (FINISHING COATS)



THERMOMASTER ACRYLIC RENDERS
 1.5 mm SMOOTH or 2 mm TROWELLED – COLOURED (25 kg/bucket)
 THERMOMASTER SILICONE RENDERS
 1.5 mm SMOOTH or 2 mm TROWELLED – COLOURED (25 kg/bucket)
 THERMOMASTER MOSAIC MARBLE PLASTERS
 101-112 COLOURS (15 kg/bucket)



THERMOMASTER SCAFFOLDING NET




WHITE COLOUR THERMOMASTER SCAFFOLDING NET
 WITH BLUE THERMOMASTER LOGO PRINT (2.5 x 50 m)




ROOF ACCESSORIES


APPLICATION OF NON-VAPOUR PERMEABLE UNDERLAYS



APPLICATION OF VAPOUR PERMEABLE (BREATHABLE) UNDERLAYS



ROOFBOND VENTILATION ELEMENTS AND ROOF ACCESSORIES




- | | |
|--------------------------------|--|
| 1 end cap | 12 aerial adapter |
| 2 crest tile fastener | 13 ventilation chimney |
| 3 ridge ventilation element | 14 ventilation adapter |
| 4 AIR-VENT roll | 15 transparent roof tile |
| 5 ROLL-O-MAT | 16 perforated ventilation band |
| 6 ALU-ROLL | 17 perforated PVC ventilation profile |
| 7 sealing PUR foam for valley | 18 ventilation element |
| 8 valley plate plastic/alu | 19 eaves comb with ventilation element |
| 9 chimney roll | 20 eaves comb |
| 10 closing profile for chimney | 21 snow guard |
| 11 base tile | |

MASTERMAX BREATHABLE ROOF UNDERLAYS

MASTERMAX

- MASTERMAX 3 ECO BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX 3 CLASSIC BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX 3 TOP BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX 3 EXTRA BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX 3 SUPER BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX 3 HYPER BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX PRO BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX 4 PLUS BREATHABLE ROOF UNDERLAY (1.5×50 m)
 - MASTERMAX ALU BREATHABLE METALIZED ROOF UNDERLAY (1.5×50 m)
- * WITH SELF-ADHESIVE TAPE(S), CUSTOMIZED LOGO OR PACKAGING ON DEMAND



PERFORATED AND NON-PERFORATED ROOF UNDERLAYS

MASTERFOL

- MASTERFOL SOFT W/Y (MP) ROOF UNDERLAY (1.5×50 m)



ISOFLEX

- ISOFLEX SOFT (MP) ROOF UNDERLAY (1.5×50 m)



- ISOCON ROOF UNDERLAY WITH ANTI-CONDENSATE LAYER (1.5×50 m)
- ISOCON PRO ROOF UNDERLAY WITH ANTI-CONDENSATE LAYER (1.5×50 m)
- ISOCON EXTRA ROOF UNDERLAY WITH ANTI-CONDENSATE LAYER (1.5×40 m)



METALIZED ROOF UNDERLAYS

MASTERFOL

- MASTERFOL SOFT ALU - E METALIZED ROOF UNDERLAY (1.5×50 m)


ISOFLEX

- ISOFLEX ALU - METALIZED ROOF UNDERLAY (1.5×50 m)



SELF-ADHESIVE TAPES

- ISOFLEX TAPE 50, 75, 100 mm (50 m)
- MASTERFOL TAPE 1 (50 mm×25 m), MASTERFOL TAPE 2 (20 mm×25 m)
- MASTERMAX TAPES 50, 75 mm (25 m)



ROOFBOND VENTILATION ELEMENTS AND ROOF ACCESSORIES


ROOFBOND

ROOFBOND AC PP EAVES COMB – RED, BROWN, BLACK (1 m)
ROOFBOND AC VENTILATION ELEMENT – RED, BLACK (1 m)
ROOFBOND AC PP EAVES COMB WITH VENTILATION ELEMENT – RED, BROWN, BLACK (1 m)
ROOFBOND AC PERFORATED VENTILATION BAND – 50 mm OR 100 mm RED, BROWN, BLACK (5 m)
ROOFBOND AC VENTILATION PROFILE (2.5 m)
ROOFBOND AC RIDGE VENTILATION ELEMENT FOR SHINGLES (1 m)
LÜFTOMAT UNI 60 RIDGE VENTILATION ELEMENT – RED, BROWN, BLACK (1 m)
ROOFBOND AC POINT VENTILATION ELEMENT FOR SHINGLES (500 × 300 mm)
ROOFBOND AC VENTILATION PLASTIC ROOF TILE (VARIOUS TYPES)
ROOFBOND AC TRANSPARENT ROOF TILE (VARIOUS TYPES)
ROOFBOND AC END CAP PVC OR METAL – RED, BROWN, BLACK
ROOFBOND AC VENTILATION CHIMNEY
ROOFBOND AC VENTILATION ADAPTER – RED, BROWN, BLACK
ROOFBOND AC FLEXIBLE VENTILATION PIPE
ROOFBOND AC CREST TILE FASTENERS – RED, BROWN, BLACK (VARIOUS SIZES)
ROOFBOND AC SNOW GUARDS – RED, BROWN, BLACK (VARIOUS LENGTHS)
ROOFBOND AC UNIVERSAL SEALING PUR FOAM FOR RIDGE 50-60-75 mm – RED, BROWN, BLACK (1 m)
ROOFBOND AC SEALING PUR FOAM FOR VALLEY – RED, BROWN, BLACK (1 m)
ROOFBOND AC RIDGE BATTEN STRUT (100 pcs)
ROOFBOND AC VALLEY PLATE RED, BROWN, BLACK PLASTIC (500 mm × 1700 mm) OR ALU (500 mm × 2000 mm)
ROOFBOND AC ALU CLOSING PROFILE FOR CHIMNEY ROLLS – RED, BROWN, BLACK (1 m)
ROOFBOND AC CHIMNEY ROLL ALU OR LEAD – RED, BROWN, BLACK (300 mm × 5 m)
ROOFBOND AC AIR-VENT ROLL – RED, BROWN, BLACK (300 mm × 5 m)
ROLLOMAT – RED, BROWN, BLACK (190-280-330 mm × 5 m)
ROOFBOND AC SHINGLE NAILS (3 × 16 mm (5 kg), 3 × 20 mm (2.5 kg), 2.5 × 25 mm (5kg), 3.5 × 25 mm (2.5 or 5 kg), 3.5 × 35 mm (2.5 kg))
ROOFBOND AC SHINGLE SIL sealing and bonding bitumen for shingles (315 ml)



BITUMINOUS ROOF COVERING PRODUCTS

PRODUCTS FOR PITCH ROOFS



- 1 ROOFBOND SHINGLE V13 (Oxidized bitumen underlay)
- 2 ROOFBOND SHINGLE / SELECT SHINGLE / ECO SHINGLE
- 3 ROOFBOND AC SHINGLE SIL sealing and bonding bitumen for shingles


- 4 Shingle nail
- 5 OSB board
- 6 ROOFBOND AC Shingle ridge ventilation element
- 7 ROOFBOND AC Shingle ventilation element

BITUMINOUS ROOF COVERING PRODUCTS FOR PITCH ROOFS

AQUAWELL CORRUGATED SHEETS



AQUAWELL CORRUGATED SHEETS 950 × 2000M – RED, GREEN, BROWN, BLACK (200 pcs/pallet)



AQUAWELL ACCESSORIES



AQUAWELL RIDGE CAPS – RED, GREEN, BROWN, BLACK (200 pcs/pallet)
AQUAWELL BARGE BOARDS – RED, GREEN, BROWN, BLACK (200 pcs/pallet)
AQUAWELL AC FASTENING NAILS – RED, GREEN, BROWN, BLACK (100 pcs)
AQUAWELL LINE AC SEALING FOAM FOR CORRUGATED PLATES



ASPHALT SHINGLES



ROOFBOND SHINGLES (BEAVER, RECTANGLE, HEXAGON) – RED, GREEN, BROWN, ATHRACITE (3 m²/bag)


ECO SHINGLES (BEAVER, RECTANGLE, HEXAGON) – RED, GREEN, BROWN, ATHRACITE (3 m²/bag)



BITUMINOUS SHINGLE UNDERLAY V-13



BITUMINOUS SHINGLE UNDERLAY V-13 (10 m²/roll)



BITUMINOUS ROOF COVERING PRODUCTS FOR FLAT ROOFS

MASTERBIT SBS MODIFIED ASPHALT MEMBRANES



MASTERBIT PRO PM4 SBS MODIFIED BITUMEN MEMBRANE with slate flake (7.5 m²)
MASTERBIT PRO PV4 SBS MODIFIED BITUMEN MEMBRANE (7.5 m²)



HEAT AND SOUND INSULATION MATERIALS



- 1 ISOMASTER EPS 30 insulation boards
- 2 ISOMASTER EPS 70 insulation boards
- 3 ISOMASTER EPS 100 (150) (200) insulation boards
- 4 ISOMASTER EPS A 23/20, 34/30, 45/40 impact sound insulation board
- 5 ISOMASTER XPS insulation boards
- 6 WOODWOOL C / WOODWOOL EPS / WOODWOOL ROCK insulation boards
- 7 ISOFOAM IF PE foam underlay
- 8 ISOFOAM CF PE foam border strip
- 9 ISOFOAM LF-ALUPET metalized PE foam
- 10 ISOFOAM XPS underlay
- 11 THERMOBETON – light-weight concrete insulation layer

ISOFOAM IF IMPACT SOUND INSULATION PE FOAMS

ISOFOAM

ISOFOAM IF 2 mm PE FOAM (1 m OR 1.1 m × 50 m)
 ISOFOAM IF 3 mm PE FOAM (1 m OR 1.1 m × 50 m)
 ISOFOAM IF 5 mm PE FOAM (1 m OR 1.1 m × 50 m)
 ISOFOAM IF 8 mm PE FOAM (1 m OR 1.1 m × 50 m)
 ISOFOAM IF 10 mm PE FOAM (1 m OR 1.1 m × 50 m)

*SPECIALITY FOAMS ON DEMAND



ISOFOAM LF METALIZED PE FOAMS FOR HEAT-REFLECTION

ISOFOAM


ISOFOAM LF 2 mm PE FOAM WITH HEAT-REFLECTION SURFACE (1 × 50 m)
 ISOFOAM LF 3 mm PE FOAM WITH HEAT-REFLECTION SURFACE (1 × 50 m)
 ISOFOAM LF 5 mm PE FOAM WITH HEAT-REFLECTION SURFACE (1 × 50 m)



ISOFOAM CF IMPACT SOUND INSULATION BORDER STRIPES

ISOFOAM

ISOFOAM CF 5 mm PE FOAM BORDER STRIPES (10-25 cm × 25 m or 50 m)
 ISOFOAM CF 8 mm PE FOAM BORDER STRIPES (10-25 cm × 25 m or 50 m)
 ISOFOAM CF 10 mm PE FOAM BORDER STRIPES (10-25 cm × 25 m or 50 m)



ISOFOAM XPS IMPACT SOUND INSULATION FOAMS

ISOFOAM

ISOFOAM XPS 2 mm FOAM (1.1 × 15 m)
 ISOFOAM XPS 4 mm FOAM 1.2 × 0.5 m SHEET SIZE (6 m²)
 ISOFOAM XPS THERMO 1.6 mm PERFORATED FOAM FOR FLOOR HEATING (1.1 × 15 m)



ISOMASTER EPS-A IMPACT SOUND INSULATION EPS BOARDS

ISOMASTER


ISOMASTER EPS-A (23/20, 34/30, 45/40) SOUND INSULATION EPS BOARDS



ISOFOAM ALU-LP METALIZED AIR BUBBLE FILM



ISOFLEX ALU LP METALIZED AIR-BUBBLE FILM (1.2×50 m)
 ISOFLEX ALU LP-2, 2-SIDE METALIZED AIR-BUBBLE FILM (1.2×50 m)



GLASSWOOL INSULATION MATERIALS



KNAUF GLASSWOOL (EKOROLL, CLASSIC 039, etc.)



ISOVER GLASSWOOL (RIO, DOMO, etc.)
 * ONLY FOR ORDER



ROCKWOOL INSULATION MATERIALS



KNAUF ROCKWOOL (EKOBOARD, MPE, MPN, MPS, etc.)
 * ONLY FOR ORDER



WOODWOOL WOOD FIBER BOARDS AND ACCESSORIES



WOODWOOL C BOARDS 25-35-50 mm (1 m²)
 WOODWOOL EPS BOARDS 25-35-50-75-100 mm (1 m²)
 WOODWOOL ROCK BOARDS 50-75-100 mm (1 m²)
 WOODWOOL AC R FASTENING NAIL (100-125-150 mm)



THERMOBETON LIGHT-WEIGHT CONCRETE




THERMOBETON LIGHT-WEIGHT CONCRETE (0.2 m³/bag)



WATER INSULATION AND WATER DRAINAGE MATERIALS


TERRAPLAST VERTICAL/HORIZONTAL APPLICATIONS

DRAINAGE SYSTEM ALONG BASEMENT WALL




- | | |
|--|--|
| 1 MASTERBIT bitumen primer | 6 TERRAPLAST GEOTEX filter and separating geotextile |
| 2 MASTERBIT 04GV bitumen sheet | 7 Soil backfill |
| 3 TERRAPLAST PLUS GEO dimpled membrane with geotextile | 8 Original soil |
| 4 TERRAPLAST DRAIN AC perforated drain pipe | 9 THERMOMASTER A-02 thermal insulation system |
| 5 Filtering graded gravel | |

SHUTTERING AND SURFACE DRAINAGE LAYER IN CIVIL-ENGINEERING AND TUNNEL CONSTRUCTIONS




- | | |
|---|-----------------------------|
| 1 Consolidated layer of gravel | 4 Reinforced concrete slab |
| 2 TERRAPLAST PLUS S20 | 5 Retaining wall |
| 3 TERRAPLAST DRAIN AC perforated drain pipe | 6 Shotcrete or curtain wall |

SUB-BASE COURSE UNDER CONCRETE SLAB



- 1 TERRAPLAST GEOTEX filter and separating geotextile
- 2 Consolidated layer of gravel
- 3 TERRAPLAST PLUS S8/L8
- 4 Reinforced concrete slab
- 5 Damp-proof course
- 6 Load-bearing wall structure

EXTENSIVE GREEN ROOF



- 1 Load-bearing slab + breeze concrete
- 2 MASTERBIT bitumen primer
- 3 Root-resistant waterproofing
- 4 Separating layer (optional)
- 5 XPS thermal insulation
- 6 TERRAPLAST PLUS S20P perforated dimpled membrane
- 7 TERRAPLAST GEOTEX separating and filter layer (min. 130 g/m²)
- 8 Soilmix with vegetation
- 9 Gravel layer

SICOFOL DPC DAMP PROOF COURSE


SICOFOL DPC 0.5 mm, 1.0 mm, SICOFOL DPC 1.2 mm, SICOFOL DPC 1.5 mm (DIFFERENT SIZES)



TERRAPLAST PLUS DIMPLED MEMBRANES

TERRAPLAST


- TERRAPLAST PLUS L8 BLACK DIMPLED MEMBRANE (0.5-4 m×20 m)
- TERRAPLAST PLUS S8 DIAGONAL DIMPLED MEMBRANE (0.5-4 m×20 m)
- TERRAPLAST PLUS S20 DIMPLED MEMBRANE (2×20 m)
- TERRAPLAST PLUS S20P PERFORATED DIMPLED MEMBRANE (2×20 m)
- TERRAPLAST PLUS 8 GEO DIMPLED MEMBRANE WITH GEOTEXTILE (2×20 m)



TERRAPLAST ACCESSORIES

TERRAPLAST

- TERRAPLAST AC FIXING NAIL WITH PLASTIC PART – BROWN (100 pcs/bag)
- TERRAPLAST AC CLOSING PLASTIC PROFILE (2 m/pc)
- TERRAPLAST PLUS AC BITUBAND BUTYL TAPE (30 m/roll)
- TERRAPLAST PVC OR LPE DRAIN PIPES 50-80-100 mm
WITH OR WITHOUT PERFORATION (50 OR 100 m roll lengths)
- TERRAPLAST TOP DRAINAGE CHANNEL WITH GALVANIZED GRID (1 m)
- TERRAPLAST TOP AC ACCESSORIE SET



PP NON-WOVEN GEOTEXTILES

TERRAPLAST

- TERRAPLAST GEOTEX 100 (1.5×50 m OR 1×10 m)
- TERRAPLAST GEOTEX 150 (5×100 m)
- TERRAPLAST GEOTEX 200 (5×100 m)
- TERRAPLAST GEOTEX 300 (5×100 m)
- TERRAPLAST GEOTEX 400 (5×100 m)
- TERRAPLAST GEOTEX 500 (5×100 m)

- TYPAR SF-40 GEOTEXTILE (4.5×150 m)
- TYPAR SF-56 GEOTEXTILE (4.5×100 m)



MASTERBIT OXIDIZED BITUMEN MEMBRANES

MASTERBIT

- MASTERBIT 03 GV OXIDIZED BITUMEN MEMBRANE (10 m²)
- MASTERBIT 04 GV OXIDIZED BITUMEN MEMBRANE (10 m²)

- ECOBIT 03 GV OXIDIZED BITUMEN MEMBRANE (10 m²)
- ECOBIT 04 GV OXIDIZED BITUMEN MEMBRANE (10 m²)

- MASTERBIT VM40 OXIDIZED BITUMEN MEMBRANE (10 m²)



MASTERBIT MODIFIED BITUMEN MEMBRANES



MASTERBIT PRO PM4 SBS MODIFIED BITUMEN MEMBRANE with slate flake (7.5 m²)
 MASTERBIT PRO PV4 SBS MODIFIED BITUMEN MEMBRANE (7.5 m²)



MASTERBIT BITUMINOUS PRIMERS



MASTERBIT WBP WATER BASED PRIMER (10 kg)
 MASTERBIT SP SOLVENT BASED PRIMER (10 kg)



MASTERBIT BITUMINOUS COATINGS




MASTERBIT LF SOLVENT FREE COATING (5 l OR 25 l)
 MASTERBIT 1K THICK BITUMEN COATING (32 l)




DRY CONSTRUCTION MATERIALS AND ACCESSORIES

CLADDING




- 1 direct suspension hanger
- 2 felt strip
- 3 hammer fixed expansion plug
- 4 UD profile
- 5 CD profile
- 6 vapour control layer
- 7 gypsum plaster-board
- 8 drywall screw
- 9 joint filler gypsum
- 10 glassveil tape
- 11 self-adhesive fiberglass tape
- 12 "U" or "J" profile
- 13 UW profile
- 14 CW profile









SUSPENDED CEILING




- 1 Suspension wire with eye
- 2 Anchor hanger with tension spring
- 3 CD profile
- 4 CD quick cross-connector
- 5 CD profile connector
- 6 UD profile
- 7 gypsum plaster-board
- 8 hammer fixed expansion plug
- 9 felt strip

















DRY-LINING FINISHING FOR WALLS



- 1 gypsum plasterboard 
- 2 adhesive gypsum 
- 3 joint filler gypsum 
- 4 glassveil tape 
- 5 self-adhesive fiberglass tape 
- 6 ALU or PVC corner profile 
- 7 ALUX edge protective strip 
- 8 "U" or "J" profile 

PARTITION WALLS




- 1 felt strip 
- 2 UW profile 
- 3 hammer fixed expansion plug 
- 4 CW profile 
- 5 UA profile 
- 6 L connecting bracket 
- 7 gypsum plasterboard 
- 8 joint filler gypsum 
- 9 glassveil tape 
- 10 self-adhesive fiberglass tape 
- 11 ALU corner profile 
- 12 PVC corner profile 
- 13 ALUX edge protective strip 
- 14 drywall screw for metal 
- 15 Serf-drilling screw for metal frame 
- 16 self-drilling screw for profile 

NORGIPS GYPSUM PLASTER BOARDS

NORGIPS


NORGIPS GYPSUM PLASTER BOARDS GKB NORMAL 9.5 or 12.5 mm (1.2×2 m or 1.25×2 m)
NORGIPS GYPSUM PLASTER BOARDS GKBI IMPREGNATED 12.5 mm (1.2×2 m or 1.25×2 m)
NORGIPS GYPSUM PLASTER BOARDS GKF FIRE-PROOF 15 mm (1.2×2 m or 1.25×2 m)
NORGIPS GYPSUM PLASTER BOARDS GKFI IMPREGNATED AND FIRE-PROOF
 12.5 mm (1.2×2 m or 1.25×2 m)



MASTERPROFIL PROFILES (CE05, CE06)

MASTERPROFIL

MASTERPROFIL UW-50, 75, 100 mm 4 m (20 pcs/bundle)
MASTERPROFIL CW-50 mm (20 pcs/bundle), **75 mm** (16 pcs/bundle) **and 100 mm 4 m** (12 pcs/bundle)
MASTERPROFIL UD-27 4 m (20 pcs/bundle)
MASTERPROFIL CD-27/60 4 m (16 pcs/bundle)
MASTERPROFIL UA-50, 75, 100 mm 4 m (4 pcs/bundle)



DRYWALL SCREWS

DRYWALL SCREWS FOR WOOD (3.5×35 mm, 3.5×45 mm, 3.5×55 mm, 4.2×75 mm, 4.2×90 mm)
DRYWALL SCREWS FOR METAL (3.5×25 mm, 3.5×35 mm, 3.5×45 mm, 3.5×55 mm)
SELF-DRILLING SCREWS (3.5×25 mm, 3.5×35 mm)
SELF-DRILLING SCREWS FOR PROFILE CONNECTION (4.2×14 mm, 3.9×9.5 mm)



VAPOUR BARRIERS

MASTERFOL

MASTERFOL BLUE VAPOUR BARRIER (1.5×50 m)

ISOFLEX

ISOFLEX ALU-PZ VAPOUR BARRIER (1.5×50 m)

ALUKRAFT VAPOUR BARRIER (1.2×50 m)

ALUKRAFT PRO VAPOUR BARRIER (1.2×50 m)




SELF-ADHESIVE FIBERGLASS MESH TAPES

- SELF-ADHESIVE FIBERGLASS MESH TAPE 5 cm × 20 m (72 pcs/box)
- SELF-ADHESIVE FIBERGLASS MESH TAPE 5 cm × 45 m (54 pcs/box)
- SELF-ADHESIVE FIBERGLASS MESH TAPE 5 cm × 90 m (24 pcs/box)



GLASSVEIL TAPE AND MAT

- GLASSVEIL TAPE 5 cm × 25 m (40 pcs/box)
- MASTERMAT GLASSVEIL MAT (1 × 50 m)



GYPSUM PRODUCTS

NORGIPS

- NORGIPS ADHESIVE GYPSUM (30 kg)
- NORGIPS JOINT FILLING GYPSUM (5 kg)

- UNI INDOOR PLASTERING GYPSUM 0-10 mm (25 kg)
- FINE INDOOR PLASTERING GYPSUM 0-3 mm (25 kg)
- STUCCO GYPSUM (2 kg or 20 kg)




PLASTER PROFILES

MASTERPROFIL



- MASTERPROFIL GALVANIZED ANGLE BEAD 3 m (75 m)
- MASTERPROFIL PLUS GALVANIZED ANGLE BEAD 3 m (75 m)
- MASTERPROFIL DEPTH GAUGE BEAD 6 mm 3 m (150 m)
- MASTERPROFIL DEPTH GAUGE BEAD 10 mm 3 m (150 m)

- PROTEKTOR 1041 PROFILE 2.5 m (37.5 m)
- PROTEKTOR 9011 PROFILE 2.5 m (50 m)




GYPSUM PLASTERBOARD ACCESSORIES

- DIRECT HANGER 50/75 mm, 50/125 mm, 60/75 mm, 60/125 mm (100 pcs)
- ADJUSTABLE PIVOT BRACKET 30-60 mm, 60-90 mm, 90-120 mm (100 pcs)
- SUSPENSION WIRES 125-250-375-500-750-1000-1500-2000 mm (100 pcs)
- CD PROFILE CONNECTOR (100 pcs)
- CD ANCHOR HANGER WITH TENSION SPRING (100 pcs)
- CD HANGER WITH TENSION SPRING (100 pcs)
- TIMBER CONNECTOR (100 pcs)
- SUSPENSION BANDS H4 or H6 (10 m/roll)
- CD HANGER (100 pcs)
- CD HANGER WITH TENSION SPRING (100 pcs)
- HANGER WITH TENSION SPRING FOR 'T' SUPPORT RAIL (100 pcs)
- CD HANGER WITH SPECIAL SPRING (100 pcs)
- DOUBLE SPRING SECURING CLIP (100 pcs)
- CONNECTING BRACKET FOR UA PROFILE 100×50×45 mm and 100×75×65 mm (100 pcs)
- ALUX EDGE TAPE PAPER WITH GALVANIZED STEEL (30 m/roll)
- HOLDING PVC "U" PROFILE 9.5 mm × 3 m (20 pcs) and 12.5 mm × 3 m (20 pcs)
- FELT STRIP 30-50-70-95 mm (30 m/roll)



OTHER ACCESSORIES FOR CONSTRUCTION



- | | | | |
|---|----------------------------------|---|---|
| 1 | LDPE film | 6 | Depth gauge bead |
| 2 | Self-levelling compound | 7 | window connection profile |
| 3 | Flex tile adhesive | 8 | steel wire mesh |
| 4 | Adhesive mortar for corner beads | 9 | MASTERPOL air-entraining agent (mixed to the plaster) |
| 5 | Galvanized steel corner bead | | |

ELECTRO GALVANIZED STEEL WIRE MESH

STEEL WIRE MESH 25×25 mm (1×50 m)

STEEL WIRE MESH SMALL 12.5×12.5 mm (0.914×50 m)



ORANGE PLASTIC MESH FOR CONSTRUCTION SITES

ORANGE PLASTIC MESH FOR CONSTRUCTION SITES (1.8×50 m)




PE FILMS - RECYCLED /VIRGIN

RECYCLED LDPE FILMS 0.05 mm, 0.09 mm, 0.15 mm, 0.2 mm (100m²)

VIRGIN LDPE FILMS 0.05 mm, 0.09 mm (100 m²)

STRETCH FOIL (2.5 kg/roll)



PE BAGS FOR WASTE MATERIAL


RECYCLED PE BAGS (550×900 mm or 550×1150 mm)



PLASTIC BUCKETS AND BASINS

PLASTIC BUCKETS (12 l or 20 l)

PLASTIC BASINS (60 l or 90 l)




PP FIBER ADDITIVE

PP FIBER reinforcement for concrete (9-12-18 mm)



GLASS BLOCKS AND ACCESSORIES

- GLASS BLOCKS CLOUDY (10 pcs)
- GLASS BLOCKS WATER BUBBLE (10 pcs)
- PLASTIC SPACER FOR GLASS BLOCKS (10 pcs)



MASTERPOL LIME SUBSTITUTE ADDITIVE

MASTERPOL LIME SUBSTITUTE ADDITIV (1l or 5l)



MASTERFROST SET ACCELERATING ADMIXTURE

MASTERFROST SET ACCELERATING ADMIXTURE (5 l or 50 l)



SELF-LEVELLING CONCRETE

SELF-LEVELLING CONCRETE (25 kg)



TILE ADHESIVES

- STANDARD TILE ADHESIVE – C1T (25 kg)
- FLEXIBLE TILE ADHESIVE – C2TE (25 kg)





C U S T O M E R
S U P P O R T
T I M E L Y
P R O D U C E
F R I E N D L Y
S O L U T I O N
P R E C I S E
L O G I S T I C S
Q U A L I T Y
P O S I T I V E
S E R V I C E

MASTERPLAST KFT.

H-8143 Sárszentmihály, Árpád u 1/A
 Tel.: +36 22 801-300; Fax: +36 22 801-382
 export@masterplast.hu
 Cny.: Fejér Megyei Bíróság
 Cg.: 07-09-013368



OFFICIAL ORDER FORM

MASTERPLAST KFT – International Export Department

FROM: Order date:

TO: EXPORT@MASTERPLAST.HU or fax to +36 22 801 382

Line #	MP Art. No.	MP Product name	EXW Unit price (EUR)	Ordered quantity	Unit of measure (m ² , box, roll, pcs, m)	Packaging details (please mark the correct one with an X)		
						With Masterplast brand labels	Without any labels	With customer's labels
1								
2								
3								
4								
5								
6								
7								
8								
9								
10								
11								
12								
13								
14								
15								
16								
17								
18								
19								
20								
21								
22								
23								
24								
25								

REQUESTED DELIVERY DATE:

DELIVERY ADDRESS FOR THIS SHIPMENT:

Street:

ZIP Code:

Town:

Country:

Note: Please fill in all missing fields of this form. We do not take any responsibility for wrongly filled order form.

YOUR BUSINESS SERVICE PARTNER PROVIDING INSULATION SOLUTIONS



MASTERPLAST KFT.
EXPORT DEPARTMENT
Phone: +36 (22) 801-300/111
E-mail: export@masterplast.hu

MASTERPLAST
GROUP-INTERNATIONAL
www.masterplastgroup.com



MASTERPLAST GROUP INTERNATIONAL

Masterplast Kft.

Export department
Arpad u. 1.A, H-8143 Sárszentmihály, Hungary
Tel:+36 22 801 300 / 111
Fax: +36 22 801 382
e-mail: export@masterplast.hu

MASTERPLAST Kft.

8143 Sárszentmihály, Árpád u. 1/a., Hungary
Phone: +36-22-801-300
Fax: +36-22-801-382
E-mail: masterplast@masterplast.hu

MASTERPLAST România s.r.l.

410605 Oradea, Șos. Borșului, nr. 45, Romania
Phone: +40-259-465-456
Fax: +40-259-435-134
E-mail: masterplast@masterplastsrl.ro

MASTERPLAST YU d.o.o.

24000 Subotica, Bodrogrvari Ferenc 172, Serbia
Phone: +381-24-625-825
Fax: +381-24-625-804
E-mail: office@masterplast.rs

MASTER PLAST PLUS s.r.o.

Nádražní 982, 696 42 Vracov, Czech Republic
E-mail: info@masterplast.cz

MASTERPLAST d.o.o.

31304 Duboševica,
Trg Hrvatske Mladeži 2, Croatia
Phone: +385-31-736-512
Fax: +38-5-31-736-513
E-mail: masterplast@masterplast.hr

MASTER PLAST s.r.o

925 21 Sládkovičovo, Veľkouľanská cesta
1339, Slovakia
Phone: +421-31-784-2181
Fax: +421-31-784-2180
E-mail: masterplast@masterplast.sk

MASTERPLAST IGMIN D.O.O.

78000 Banja Luka, Tunjice bb.,
Bosna i Hercegovina
Phone: +387-51-386-486,
+387-51-386-437
Fax: +387-51-388-966
E-mail: office@masterplastigmin.com

MASTERPLAST SP. z o.o.

Ul. Kolejowa 23, 62-090 Rokietnica, Poland
Phone: +48-61-896-35-58/59,
+48-61-816-19-97
Fax: +48-61-814-11-79
E-mail: info@masterplastgroup.pl

MASTERPLAST Ukraina TOV

88000 Uzhgorod, Pavlovich u.5., Ukraine
Phone: +380-312-656093
Phone/Fax:+380-312-656073
E-mail: info@masterplast.uz.ua

MASTERPLAST Bulgaria EOOD

1532 Sofia, MSK Kazichene, Bulgaria
Phone/Fax: +359-2-978-9791,
+359-2-978-9764
E-mail: office@masterplast.bg

Doo MASTERPLAST

6250, Kičevo, Industriska zona bb Karbunica,
Macedonia
Phone: +389-45-522-335
Fax: +389-45-524-901
E-mail: office@masterplast.com.mk

Мастерпласт Рус ООО

346720, Ростовская обл., Аксайский р-н,
город Аксай, пр. Ленина, 50
Тел. Офиса (863) 265-85-95
E-mail: office@masterplastgroup.ru